



## Safety Data Sheet CIFAMIN BK

Safety Data Sheet dated 24/7/2015, version 1

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name:

**CIFAMIN BK**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Liquid fertiliser for agricultural use.

1.3. Details of the supplier of the safety data sheet

Company:

CIFO - Via Oradour 6/8, 40016 - San Giorgio di Piano (BO)- Italy

Tel. 051-6655511 Email: info@cifo.it

website: www.cifo.it

Competent person responsible for the safety data sheet:

info@cifo.it

1.4. Emergency telephone number

CIFO - Tel. 051-6655511

Poison Center: Tel. (24 ore) 0382-24444

---

### SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Directive criteria, 67/548/CE, 99/45/EC and following amendments thereof:

Properties / Symbols:

None.

EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Symbols:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

None

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

---

### SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of EEC directive 67/548 and CLP regulation and related classification:



## Safety Data Sheet CIFAMIN BK

Qty	Name	Ident. Number	Classification
>= 0.1% - < 0.25%	Preservant		2.16/1 Met. Corr. 1 H290 4.1/A1 Aquatic Acute 1 H400 3.2/1B Skin Corr. 1B H314 3.4.2/1 Skin Sens. 1 H317 Xi,C,N; R34-43-50

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Contact with skin:

Wash with plenty of water and soap.

Contact with eyes:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Swallowing:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

Inhalation:

Remove casualty to fresh air and keep warm and at rest.

#### 4.2. Most important symptoms and effects, both acute and delayed

None

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

None

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Recommended extinguishers:

Water, CO<sub>2</sub>, Foam, Chemical powders, according to the materials involved in the fire.

Carbon dioxide (CO<sub>2</sub>).

Extinguishing media which must not be used for safety reasons:

None in particular.

#### 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

#### 5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

#### 6.2. Environmental precautions



## Safety Data Sheet CIFAMIN BK

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.  
Retain contaminated washing water and dispose it.  
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

### 6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

### 6.4. Reference to other sections

See also section 8 and 13

---

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

### 7.3. Specific end use(s)

None in particular

---

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No occupational exposure limit available

DNEL Exposure Limit Values

N.A.

PNEC Exposure Limit Values

N.A.

### 8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

---

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance and colour: Liquid, amber

Odour: Characteristic

Odour threshold: Not Relevant

pH: 5.5 (20°C)

Melting point / freezing point: Not Relevant

Initial boiling point and boiling range: Not Relevant



## Safety Data Sheet CIFAMIN BK

Solid/gas flammability:	Not Relevant	
Upper/lower flammability or explosive limits:		Not Relevant
Vapour density:	Not Relevant	
Flash point:	Not Relevant	
Evaporation rate:	Not Relevant	
Vapour pressure:	Not Relevant	
Relative density:	1.2 Kg/l (20°C)	
Solubility in water:	Not Relevant	
Solubility in oil:	Not Relevant	
Partition coefficient (n-octanol/water):	Not Relevant	
Auto-ignition temperature:	Not Relevant	
Decomposition temperature:	Not Relevant	
Viscosity:	Not Relevant	
Explosive properties:	Not Relevant	
Oxidizing properties:	Not Relevant	

### 9.2. Other information

Miscibility:	Mixable with water
Fat Solubility:	Not Relevant
Conductivity:	Not Relevant
Substance Groups relevant properties	Not Relevant

---

## SECTION 10: Stability and reactivity

- 10.1. Reactivity
  - Stable under normal conditions
- 10.2. Chemical stability
  - Stable under normal conditions
- 10.3. Possibility of hazardous reactions
  - None
- 10.4. Conditions to avoid
  - Stable under normal conditions.
- 10.5. Incompatible materials
  - None in particular.
- 10.6. Hazardous decomposition products
  - None.

---

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Toxicological information of the mixture:

N.A.

Toxicological information of the main substances found in the mixture:

N.A.

If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

---

## SECTION 12: Ecological information



## Safety Data Sheet CIFAMIN BK

- 12.1. Toxicity  
Adopt good working practices, so that the product is not released into the environment.  
N.A.
- 12.2. Persistence and degradability  
None  
N.A.
- 12.3. Bioaccumulative potential  
N.A.
- 12.4. Mobility in soil  
N.A.
- 12.5. Results of PBT and vPvB assessment  
vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects  
None

---

### SECTION 13: Disposal considerations

- 13.1. Waste treatment methods  
Recover if possible. In so doing, comply with the local and national regulations currently in force.

---

### SECTION 14: Transport information

- 14.1. UN number  
Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name  
N.A.
- 14.3. Transport hazard class(es)  
N.A.
- 14.4. Packing group  
N.A.
- 14.5. Environmental hazards  
N.A.
- 14.6. Special precautions for user  
N.A.
- 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  
No

---

### SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
    - Dir. 67/548/EEC (Classification, packaging and labelling of dangerous substances)
    - Dir. 99/45/EC (Classification, packaging and labelling of dangerous preparations)
    - Dir. 98/24/EC (Risks related to chemical agents at work)
    - Dir. 2000/39/EC (Occupational exposure limit values)
    - Dir. 2006/8/EC
    - Regulation (EC) n. 1907/2006 (REACH)
    - Regulation (EC) n. 1272/2008 (CLP)
    - Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
    - Regulation (EU) n. 453/2010 (Annex I)
    - Regulation (EU) n. 286/2011 (ATP 2 CLP)
    - Regulation (EU) n. 618/2012 (ATP 3 CLP)
    - Regulation (EU) n. 487/2013 (ATP 4 CLP)
    - Regulation (EU) n. 944/2013 (ATP 5 CLP)
    - Regulation (EU) n. 605/2014 (ATP 6 CLP)
- Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:  
Restrictions related to the product:



## Safety Data Sheet CIFAMIN BK

No restriction.

Restrictions related to the substances contained:

No restriction.

Where applicable, refer to the following regulatory provisions :

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.

Regulation (EC) nr 648/2004 (detergents).

1999/13/EC (VOC directive)

Provisions related to directives 82/501/EC(Seveso), 96/82/EC(Seveso II):

N.A.

15.2. Chemical safety assessment

No

---

### SECTION 16: Other information

Full text of phrases referred to in Section 3:

R34 Causes burns.

R43 May cause sensitization by skin contact.

R50 Very toxic to aquatic organisms.

H290 May be corrosive to metals.

H400 Very toxic to aquatic life.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

CCNL - Appendix 1

Insert further consulted bibliography

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.



## Safety Data Sheet CIFAMIN BK

KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.